




**VITI METRICHE
METRIC SCREWS**

ACCIAIO CL. 4.8 - STEEL CL. 4.8
TESTA SVASATA . COUNTERSUNK HEAD
IMPRONTA TAGLIO CACCIAVITE . SLOTTED CROSS RECESS

COD 30720

DIN 963
UNI 6109
ISO 2009



| | | Diametri / Diameters | | | | | | | | | | | |
|---|--------|----------------------|------|------|-----|------|------|------|------|------|------|-------|-------|
| | Limiti | M1 | M1,4 | M1,6 | M2 | M2,3 | M2,5 | M2,6 | M3 | M3,5 | M4 | M5 | M6 |
| A | min | 1,9 | 2,6 | 3 | 3,8 | 4,5 | 4,7 | 5 | 5,30 | 6,5 | 7,14 | 8,84 | 10,57 |
| | max | | | | | | | | 5,60 | 7,50 | 9,20 | 11,00 | |
| H | min | 0,6 | 0,84 | 0,96 | 1,2 | 1,3 | 1,5 | 1,5 | 1,65 | 1,93 | 2,2 | 2,5 | 3 |
| | max | | | | | | | | | | | | |

| | | Diametri / Diameters | | | |
|---|--------|----------------------|-----|-----|-----|
| | Limiti | M8 | M10 | M12 | M16 |
| A | min | 14,5 | 18 | 22 | 29 |
| | max | | | | |
| H | min | 4 | 5 | 6 | 8 |
| | max | | | | |

PREZZI PER 100 PZ / PRICES IN EURO FOR 100 PCS

| MISURE / SIZE | FINITURA / FINISHING | | | |
|------------------|----------------------|------------------|------------|-----------------|
| | Grezze | Zincate Cr3 | Nichelate | Zincate nere |
| | Plain | Blue Zinc Cr3 | Nickel pl. | black zinc |
| M1 X2 | | | | |
| 3 | | | | |
| 4 | | | | |
| 5 | | | | |
| 6 | | | | |
| 8 | | | | |

| MISURE / SIZE | FINITURA / FINISHING | | | |
|------------------|----------------------|------------------|------------|-----------------|
| | Grezze | Zincate Cr3 | Nichelate | Zincate nere |
| | Plain | Blue Zinc Cr3 | Nickel pl. | Black zinc |
| M1,6 X10 | | | | |
| 12 | | | | |

| | | | | |
|---------|--|--|--|--|
| M1,4 X3 | | | | |
| 4 | | | | |
| 5 | | | | |
| 6 | | | | |
| 8 | | | | |
| 10 | | | | |
| 12 | | | | |
| 10 | | | | |

| | | | | |
|-------|--|--|--|--|
| M2 X4 | | | | |
| 5 | | | | |
| 6 | | | | |
| 8 | | | | |
| 10 | | | | |
| 12 | | | | |
| 14 | | | | |
| 16 | | | | |
| 20 | | | | |

| | | | | |
|---------|--|--|--|--|
| M1,6 X3 | | | | |
| 4 | | | | |
| 5 | | | | |
| 6 | | | | |
| 8 | | | | |

| | | | | |
|---------|--|--|--|--|
| M2,3 X4 | | | | |
| 5 | | | | |
| 6 | | | | |
| 8 | | | | |
| 10 | | | | |
| 12 | | | | |

SEGUE PAG.2 =>

GO TO PAGE 2 =>




VITI METRICHE METRIC SCREWS

ACCIAIO CL. 4.8 - STEEL CL. 4.8
TESTA SVASATA . COUNTERSUNK HEAD
IMPRONTA TAGLIO CACCIAVITE . SLOTTED CROSS RECESS

COD 30720

DIN 963
UNI 6109
ISO 2009



| | | Diametri / Diameters | | | | | | | | | | | |
|---|--------|----------------------|------|------|-----|------|------|------|------|------|------|------|-------|
| | Limiti | M1 | M1,4 | M1,6 | M2 | M2,3 | M2,5 | M2,6 | M3 | M3,5 | M4 | M5 | M6 |
| A | min | 1,9 | 2,6 | 3 | 3,8 | 4,5 | 4,7 | 5 | 5,30 | 6,5 | 7,14 | 8,84 | 10,57 |
| | max | | | | | | | | 5,60 | | 7,50 | 9,20 | 11,00 |
| H | min | 0,6 | 0,84 | 0,96 | 1,2 | 1,3 | 1,5 | 1,5 | 1,65 | 1,93 | 2,2 | 2,5 | 3 |
| | max | | | | | | | | | | | | |

| | | Diametri / Diameters | | | |
|---|--------|----------------------|-----|-----|-----|
| | Limiti | M8 | M10 | M12 | M16 |
| A | min | 14,5 | 18 | 22 | 29 |
| | max | | | | |
| H | min | 4 | 5 | 6 | 8 |
| | max | | | | |

PREZZI PER 100 PZ / PRICES IN EURO FOR 100 PCS

| MISURE / SIZE | FINITURA / FINISHING | | | |
|------------------|----------------------|------------------|------------|-----------------|
| | Grezze | Zincate Cr3 | Nichelate | Zincate nere |
| | Plain | Blue Zinc Cr3 | Nickel pl. | black zinc |
| M2,5 X4 | | | | |
| 5 | | | | |
| 6 | | | | |
| 8 | | | | |
| 10 | | | | |
| 14 | | | | |
| 16 | | | | |
| 20 | | | | |
| 22 | | | | |
| 25 | | | | |
| 30 | | | | |

| | | | | |
|---------|--|--|--|--|
| M2,6 X5 | | | | |
| 6 | | | | |
| 8 | | | | |
| 10 | | | | |
| 12 | | | | |
| 16 | | | | |

| MISURE / SIZE | FINITURA / FINISHING | | | |
|------------------|----------------------|------------------|------------|-----------------|
| | Grezze | Zincate Cr3 | Nichelate | Zincate nere |
| | Plain | Blue Zinc Cr3 | Nickel pl. | Black zinc |
| M3 X4 | | | | |
| 5 | | | | |
| 6 | 0,885 | 0,950 | 1,015 | 1,110 |
| 8 | 0,860 | 0,950 | 1,030 | 1,125 |
| 10 | 0,830 | 0,925 | 1,030 | 1,125 |
| 12 | 0,890 | 0,995 | 1,100 | 1,215 |
| 14 | 0,925 | 1,045 | 1,180 | 1,295 |
| 16 | 0,950 | 1,085 | 1,215 | 1,325 |
| 18 | 1,085 | 1,245 | 1,370 | 1,525 |
| 20 | 1,230 | 1,370 | 1,540 | 1,690 |
| 22 | | | | |
| 25 | 1,430 | 1,645 | 1,860 | 2,045 |
| 30 | 1,710 | 1,955 | 2,170 | 2,405 |
| 35 | 2,490 | 2,770 | 3,050 | 3,345 |
| 40 | 2,805 | 3,105 | 3,435 | 3,760 |
| 45 | 4,400 | 4,745 | 5,095 | 5,605 |
| 50 | 4,855 | 5,255 | 5,620 | 6,190 |
| 60 | | | | |

SEGUE PAG.3 =>

GO TO PAGE 3 =>




VITI METRICHE METRIC SCREWS

ACCIAIO CL. 4.8 - STEEL CL. 4.8
TESTA SVASATA . COUNTERSUNK HEAD
IMPRONTA TAGLIO CACCIAVITE . SLOTTED CROSS RECESS

COD 30720

DIN 963
UNI 6109
ISO 2009



| | | Diametri / Diameters | | | | | | | | | | | |
|---|--------|----------------------|------|------|-----|------|------|------|------|------|------|------|-------|
| | Limiti | M1 | M1,4 | M1,6 | M2 | M2,3 | M2,5 | M2,6 | M3 | M3,5 | M4 | M5 | M6 |
| A | min | 1,9 | 2,6 | 3 | 3,8 | 4,5 | 4,7 | 5 | 5,30 | 6,5 | 7,14 | 8,84 | 10,57 |
| | max | | | | | | | | 5,60 | | 7,50 | 9,20 | 11,00 |
| H | min | 0,6 | 0,84 | 0,96 | 1,2 | 1,3 | 1,5 | 1,5 | 1,65 | 1,93 | 2,2 | 2,5 | 3 |
| | max | | | | | | | | | | | | |

| | | Diametri / Diameters | | | |
|---|--------|----------------------|-----|-----|-----|
| | Limiti | M8 | M10 | M12 | M16 |
| A | min | 14,5 | 18 | 22 | 29 |
| | max | | | | |
| H | min | 4 | 5 | 6 | 8 |
| | max | | | | |

PREZZI PER 100 PZ / PRICES IN EURO FOR 100 PCS

| MISURE / SIZE | FINITURA / FINISHING | | | |
|------------------|----------------------|------------------|------------|-----------------|
| | Grezze | Zincate Cr3 | Nichelate | Zincate nere |
| | Plain | Blue Zinc Cr3 | Nickel pl. | black zinc |
| M3,5 X5 | | | | |
| 6 | | | | |
| 8 | | | | |
| 10 | | | | |
| 12 | | | | |
| 16 | | | | |
| 20 | | | | |
| 25 | | | | |
| 30 | | | | |
| 40 | | | | |

| | | | | |
|--------------|-------|-------|-------|-------|
| M4 X5 | | | | |
| 6 | | | | |
| 8 | 1,100 | 1,245 | 1,370 | 1,525 |
| 10 | 1,045 | 1,230 | 1,365 | 1,495 |
| 12 | 1,060 | 1,260 | 1,445 | 1,595 |
| 14 | 1,150 | 1,370 | 1,610 | 1,780 |
| 16 | 1,230 | 1,495 | 1,720 | 1,890 |
| 18 | 1,340 | 1,610 | 1,875 | 2,060 |
| 20 | 1,430 | 1,740 | 1,995 | 2,195 |

| MISURE / SIZE | FINITURA / FINISHING | | | |
|------------------|----------------------|------------------|------------|-----------------|
| | Grezze | Zincate Cr3 | Nichelate | Zincate nere |
| | Plain | Blue Zinc Cr3 | Nickel pl. | Black zinc |
| M4 X22 | | | | |
| 25 | 1,690 | 2,060 | 2,370 | 2,605 |
| 30 | 2,105 | 2,520 | 2,920 | 3,220 |
| 35 | 2,540 | 3,030 | 3,480 | 3,830 |
| 40 | 2,955 | 3,515 | 4,015 | 4,415 |
| 45 | 3,570 | 4,175 | 4,775 | 5,255 |
| 50 | 3,915 | 4,590 | 5,205 | 5,735 |
| 55 | | | | |
| 60 | 5,965 | 6,760 | 7,545 | 8,290 |
| 65 | | | | |
| 70 | | | | |
| 75 | | | | |
| 80 | | | | |

| | | | | |
|--------------|-------|-------|-------|-------|
| M5 X6 | | | | |
| 8 | 2,195 | 2,460 | 2,675 | 2,935 |
| 10 | 1,785 | 2,105 | 2,340 | 2,570 |
| 12 | 1,785 | 2,135 | 2,405 | 2,650 |
| 14 | 1,875 | 2,275 | 2,605 | 2,850 |
| 16 | 1,955 | 2,420 | 2,755 | 3,020 |

SEQUE PAG.4 =>

GO TO PAGE 4 =>




VITI METRICHE METRIC SCREWS

ACCIAIO CL. 4.8 - STEEL CL. 4.8
TESTA SVASATA . COUNTERSUNK HEAD
IMPRONTA TAGLIO CACCIAVITE . SLOTTED CROSS RECESS

COD 30720

DIN 963
UNI 6109
ISO 2009



| Diametri / Diameters | | | | | | | | | | | | | |
|----------------------|--------|-----|------|------|-----|------|------|------|------|------|------|------|-------|
| | Limiti | M1 | M1,4 | M1,6 | M2 | M2,3 | M2,5 | M2,6 | M3 | M3,5 | M4 | M5 | M6 |
| A | min | 1,9 | 2,6 | 3 | 3,8 | 4,5 | 4,7 | 5 | 5,30 | 6,5 | 7,14 | 8,84 | 10,57 |
| | max | | | | | | | | 5,60 | | 7,50 | 9,20 | 11,00 |
| H | min | 0,6 | 0,84 | 0,96 | 1,2 | 1,3 | 1,5 | 1,5 | 1,65 | 1,93 | 2,2 | 2,5 | 3 |
| | max | | | | | | | | | | | | |

| Diametri / Diameters | | | | | |
|----------------------|--------|------|-----|-----|-----|
| | Limiti | M8 | M10 | M12 | M16 |
| A | min | 14,5 | 18 | 22 | 29 |
| | max | | | | |
| H | min | 4 | 5 | 6 | 8 |
| | max | | | | |

PREZZI PER 100 PZ / PRICES IN EURO FOR 100 PCS

| MISURE / SIZE | FINITURA / FINISHING | | | |
|------------------|----------------------|------------------|------------|-----------------|
| | Grezze | Zincate Cr3 | Nichelate | Zincate nere |
| | Plain | Blue Zinc Cr3 | Nickel pl. | black zinc |
| M5 X18 | 2,075 | 2,540 | 2,905 | 3,185 |
| 20 | 2,195 | 2,675 | 3,120 | 3,435 |
| 22 | | | | |
| 25 | 2,355 | 3,000 | 3,480 | 3,830 |
| 30 | 2,905 | 3,650 | 4,245 | 4,655 |
| 35 | 3,445 | 4,270 | 4,960 | 5,450 |
| 40 | 3,680 | 4,620 | 5,420 | 5,950 |
| 45 | 4,400 | 5,440 | 6,345 | 6,980 |
| 50 | 5,375 | 6,485 | 7,475 | 8,225 |
| 55 | | | | |
| 60 | 7,030 | 8,385 | 9,565 | 10,525 |
| 70 | 10,480 | 12,080 | 13,795 | 15,170 |
| 80 | 11,315 | 13,180 | 14,950 | 16,460 |
| 90 | | | | |
| 100 | | | | |

| MISURE / SIZE | FINITURA / FINISHING | | | |
|------------------|----------------------|------------------|------------|-----------------|
| | Grezze | Zincate Cr3 | Nichelate | Zincate nere |
| | Plain | Blue Zinc Cr3 | Nickel pl. | Black zinc |
| M6 X16 | 2,955 | 3,585 | 4,130 | 4,545 |
| 18 | 3,065 | 3,760 | 4,345 | 4,775 |
| 20 | 3,185 | 3,960 | 4,480 | 4,925 |
| 22 | | | | |
| 25 | 3,545 | 4,465 | 5,205 | 5,735 |
| 30 | 3,960 | 4,990 | 5,865 | 6,470 |
| 35 | 4,680 | 5,900 | 6,900 | 7,580 |
| 40 | 5,225 | 6,565 | 7,715 | 8,475 |
| 45 | 6,315 | 7,795 | 9,065 | 9,980 |
| 50 | 7,315 | 8,985 | 10,360 | 11,390 |
| 55 | | | | |
| 60 | 8,675 | 10,630 | 12,285 | 13,530 |
| 70 | 11,285 | 13,580 | 16,180 | 17,790 |
| 80 | 13,560 | 16,705 | 20,080 | 22,085 |
| 90 | | | | |
| 100 | | | | |

| M6 X8 | | | | |
|-------|-------|-------|-------|-------|
| 10 | 2,635 | 3,090 | 3,465 | 3,815 |
| 12 | 2,690 | 3,185 | 3,615 | 3,985 |
| 14 | 2,820 | 3,375 | 3,895 | 4,295 |

SEGUE PAG.5 =>

GO TO PAGE 5 =>




VITI METRICHE METRIC SCREWS

ACCIAIO CL. 4.8 - STEEL CL. 4.8
TESTA SVASATA . COUNTERSUNK HEAD
IMPRONTA TAGLIO CACCIAVITE . SLOTTED CROSS RECESS

COD 30720

DIN 963
UNI 6109
ISO 2009



| | | Diametri / Diameters | | | | | | | | | | | |
|---|--------|----------------------|------|------|-----|------|------|------|------|------|------|------|-------|
| | Limiti | M1 | M1,4 | M1,6 | M2 | M2,3 | M2,5 | M2,6 | M3 | M3,5 | M4 | M5 | M6 |
| A | min | 1,9 | 2,6 | 3 | 3,8 | 4,5 | 4,7 | 5 | 5,30 | 6,5 | 7,14 | 8,84 | 10,57 |
| | max | | | | | | | | 5,60 | | 7,50 | 9,20 | 11,00 |
| H | min | 0,6 | 0,84 | 0,96 | 1,2 | 1,3 | 1,5 | 1,5 | 1,65 | 1,93 | 2,2 | 2,5 | 3 |
| | max | | | | | | | | | | | | |

| | | Diametri / Diameters | | | |
|---|--------|----------------------|-----|-----|-----|
| | Limiti | M8 | M10 | M12 | M16 |
| A | min | 14,5 | 18 | 22 | 29 |
| | max | | | | |
| H | min | 4 | 5 | 6 | 8 |
| | max | | | | |

PREZZI PER 100 PZ / PRICES IN EURO FOR 100 PCS

| MISURE / SIZE | FINITURA / FINISHING | | | |
|------------------|----------------------|------------------|------------|-----------------|
| | Grezze | Zincate Cr3 | Nichelate | Zincate nere |
| | Plain | Blue Zinc Cr3 | Nickel pl. | black zinc |
| M8 X 10 | | | | |
| 12 | | | | |
| 16 | | | | |
| 18 | | | | |
| 20 | | | | |
| 25 | | | | |
| 28 | | | | |
| 30 | | | | |
| 35 | | | | |
| 40 | | | | |
| 45 | | | | |
| 50 | | | | |
| 55 | | | | |
| 60 | | | | |
| 70 | | | | |
| 80 | | | | |
| 90 | | | | |
| 100 | | | | |

| MISURE / SIZE | FINITURA / FINISHING | | | |
|------------------|----------------------|------------------|------------|-----------------|
| | Grezze | Zincate Cr3 | Nichelate | Zincate nere |
| | Plain | Blue Zinc Cr3 | Nickel pl. | Black zinc |
| M10 X16 | | | | |
| 20 | | | | |
| 25 | | | | |
| 30 | | | | |
| 35 | | | | |
| 40 | | | | |
| 45 | | | | |
| 50 | | | | |
| 60 | | | | |
| 70 | | | | |
| 80 | | | | |
| 90 | | | | |
| 100 | | | | |

SEGUE PAG.6 =>

GO TO PAGE 6 =>




VITI METRICHE
METRIC SCREWS

ACCIAIO CL. 4.8 - STEEL CL. 4.8
 TESTA SVASATA . COUNTERSUNK HEAD
 IMPRONTA TAGLIO CACCIAVITE . SLOTTED CROSS RECESS

COD 30720

DIN 963
 UNI 6109
 ISO 2009



| Diametri / Diameters | | | | | | | | | | | | | |
|----------------------|--------|-----|------|------|-----|------|------|------|------|------|------|------|-------|
| | Limiti | M1 | M1,4 | M1,6 | M2 | M2,3 | M2,5 | M2,6 | M3 | M3,5 | M4 | M5 | M6 |
| A | min | 1,9 | 2,6 | 3 | 3,8 | 4,5 | 4,7 | 5 | 5,30 | 6,5 | 7,14 | 8,84 | 10,57 |
| | max | | | | | | | | 5,60 | | 7,50 | 9,20 | 11,00 |
| H | min | 0,6 | 0,84 | 0,96 | 1,2 | 1,3 | 1,5 | 1,5 | 1,65 | 1,93 | 2,2 | 2,5 | 3 |
| | max | | | | | | | | | | | | |

| Diametri / Diameters | | | | | |
|----------------------|--------|------|-----|-----|-----|
| | Limiti | M8 | M10 | M12 | M16 |
| A | min | 14,5 | 18 | 22 | 29 |
| | max | | | | |
| H | min | 4 | 5 | 6 | 8 |
| | max | | | | |

PREZZI PER 100 PZ / PRICES IN EURO FOR 100 PCS

| MISURE / SIZE | FINITURA / FINISHING | | | |
|---------------|----------------------|---------------|------------|--------------|
| | Grezze | Zincate Cr3 | Nichelate | Zincate nere |
| | Plain | Blue Zinc Cr3 | Nickel pl. | black zinc |
| M12 X 20 | | | | |
| 25 | | | | |
| 30 | | | | |
| 35 | | | | |
| 40 | | | | |
| 45 | | | | |
| 50 | | | | |
| 60 | | | | |
| 70 | | | | |
| 80 | | | | |
| 90 | | | | |
| 100 | | | | |


| MISURE / SIZE | FINITURA / FINISHING | | | |
|---------------|----------------------|---------------|------------|--------------|
| | Grezze | Zincate Cr3 | Nichelate | Zincate nere |
| | Plain | Blue Zinc Cr3 | Nickel pl. | Black zinc |
| M16 X25 | | | | |
| 30 | | | | |
| 35 | | | | |
| 40 | | | | |
| 45 | | | | |
| 50 | | | | |
| 60 | | | | |
| 70 | | | | |
| 80 | | | | |
| 90 | | | | |
| 100 | | | | |



VITI METRICHE
METRIC SCREWS

INOX A2 - STAINLESS STEEL A2
 TESTA SVASATA . COUNTERSUNK HEAD
 IMPRONTA TAGLIO CACCIAVITE . SLOTTED CROSS RECESS

COD 32720



DIN 963
 UNI 6109
 ISO 2009

| Diametri / Diameters | | | | | | | | | | |
|----------------------|------|-----|------|------|-----|-----|----|------|-----|-----|
| | M1,6 | M2 | M2,5 | M3 | M4 | M5 | M6 | M8 | M10 | M12 |
| A | 3 | 3,8 | 4,7 | 5,6 | 7,5 | 9,2 | 11 | 14,5 | 18 | 22 |
| H | 0,96 | 1,2 | 1,5 | 1,65 | 2,2 | 2,5 | 3 | 4 | 5 | 6 |

| Lunghezza / Lenght mm. | Diametro / Diameter mm. (*) | | | | | | | | | |
|---------------------------|-----------------------------|----|------|----|----|----|----|----|-----|-----|
| | M1,6 | M2 | M2,5 | M3 | M4 | M5 | M6 | M8 | M10 | M12 |
| 3 | | | | | | | | | | |
| 4 | | | | | | | | | | |
| 5 | | | | | | | | | | |
| 6 | | | | | | | | | | |
| 8 | | | | | | | | | | |
| 10 | | | | | | | | | | |
| 12 | | | | | | | | | | |
| 14 | | | | | | | | | | |
| 16 | | | | | | | | | | |
| 20 | | | | | | | | | | |
| 22 | | | | | | | | | | |
| 25 | | | | | | | | | | |
| 30 | | | | | | | | | | |
| 35 | | | | | | | | | | |
| 40 | | | | | | | | | | |
| 45 | | | | | | | | | | |
| 50 | | | | | | | | | | |
| 55 | | | | | | | | | | |
| 60 | | | | | | | | | | |
| 65 | | | | | | | | | | |
| 70 | | | | | | | | | | |
| 80 | | | | | | | | | | |
| 90 | | | | | | | | | | |
| 100 | | | | | | | | | | |

PRODUZIONE STANDARD



VITI METRICHE
METRIC SCREWS

INOX A4 - STAINLESS STEEL A4
 TESTA CILINDRICA . PAN HEAD
 IMPRONTA TAGLIO CACCIAVITE . SLOTTED CROSS RECESS

COD 34720

DIN 963
 UNI 6109
 ISO 2009



| Diametri / Diameters | | | | | | | | | | |
|----------------------|------|-----|------|------|------|-----|-----|----|------|-----|
| | M1,6 | M2 | M2,5 | M3 | 3,5 | M4 | M5 | M6 | M8 | M10 |
| A | 3 | 3,8 | 4,7 | 5,6 | 6,5 | 7,5 | 9,2 | 11 | 14,5 | 18 |
| H | 0,96 | 1,2 | 1,5 | 1,65 | 1,93 | 2,2 | 2,5 | 3 | 4 | 5 |

| Lunghezza / Lenght mm. | Diametro / Diameter mm. (*) | | | | | | | | | |
|---------------------------|-----------------------------|----|------|----|-----|----|----|----|----|-----|
| | M1,6 | M2 | M2,5 | M3 | 3,5 | M4 | M5 | M6 | M8 | M10 |
| 3 | | | | | | | | | | |
| 4 | | | | | | | | | | |
| 5 | | | | | | | | | | |
| 6 | | | | | | | | | | |
| 8 | | | | | | | | | | |
| 10 | | | | | | | | | | |
| 12 | | | | | | | | | | |
| 14 | | | | | | | | | | |
| 16 | | | | | | | | | | |
| 18 | | | | | | | | | | |
| 20 | | | | | | | | | | |
| 25 | | | | | | | | | | |
| 30 | | | | | | | | | | |
| 35 | | | | | | | | | | |
| 40 | | | | | | | | | | |
| 50 | | | | | | | | | | |
| 60 | | | | | | | | | | |
| 70 | | | | | | | | | | |
| 80 | | | | | | | | | | |
| 90 | | | | | | | | | | |
| 100 | | | | | | | | | | |

PRODUZIONE STANDARD




VITI METRICHE
METRIC SCREWS

OTTONE - BRASS
 TESTA SVASATA . COUNTERSUNK HEAD
 IMPRONTA TAGLIO CACCIAVITE . SLOTTED CROSS RECESS

COD 33720

DIN 963
 UNI 6109
 ISO 2009



| Diametri / Diameters | | | | | | | | | | | | |
|----------------------|-----|------|------|------|-----|------|------|-----|-----|----|------|-----|
| | M1 | M1,2 | M1,4 | M1,6 | M2 | M2,5 | M3 | M4 | M5 | M6 | M8 | M10 |
| A | 1,9 | 2,3 | 2,6 | 3 | 3,8 | 4,7 | 5,6 | 7,5 | 9,2 | 11 | 14,5 | 18 |
| H | 0,6 | 0,72 | 0,84 | 0,96 | 1,2 | 1,5 | 1,65 | 2,2 | 2,5 | 3 | 4 | 5 |

| Lunghezza / Lenght mm. | Diametro / Diameter mm. (°) | | | | | | | | | | | |
|---------------------------|-----------------------------|------|------|------|----|------|----|----|----|----|----|-----|
| | M1 | M1,2 | M1,4 | M1,6 | M2 | M2,5 | M3 | M4 | M5 | M6 | M8 | M10 |
| 3 | | | | | | | | | | | | |
| 4 | | | | | | | | | | | | |
| 5 | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | |
| 14 | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | |
| 30 | | | | | | | | | | | | |
| 35 | | | | | | | | | | | | |
| 40 | | | | | | | | | | | | |
| 45 | | | | | | | | | | | | |
| 50 | | | | | | | | | | | | |
| 60 | | | | | | | | | | | | |

PRODUZIONE STANDARD